BRAIN RESEARCH

VOL. 637 NOS. 1/2 **CONTENTS** **21 FEBRUARY 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of manuscripts vii

Research Reports

The muscarinic agonist, bethanechol, enhances GABA-induced inhibition of Purkinje cells in the cerebellar cortex
P. Andre, F. Fascetti, O. Pompeiano and S.R. White (Italy, USA) 1

Expression of interleukin-6 (IL-6) and interleukin-6 receptor (IL-6R) mRNAs in rat brain during postnatal development
R.A. Gadient and U. Otten (Switzerland) 10

Comparison of intracranial infusions of colchicine and ibotenic acid as models of neurodegeneration in the basal forebrain
L.W. Shaughnessy, S. Barone Jr., W.R. Mundy, D.W. Herr and H.A. Tilson (USA) 15

Optimizing recording capabilities of the Utah Intracortical Electrode Array
C.T. Nordhausen, P.J. Rousche and R.A. Normann (USA) 27

Subpopulations of dystrophic neuritis in Alzheimer's brain with distinct immunocytochemical and argentophilic characteristics
J.H. Su, B.J. Cummings and C.W. Cotman (USA) 37

Release of angiotensin in the paraventricular nucleus in response to hyperosmotic stimulation in conscious rats: a microdialysis study
F. Qadri, O. Edling, A. Wolf, P. Gohlke, J. Culman and T. Unger (Germany) 45

Effect of host age upon the degree of nigrostriatal dopaminergic system recovery following cografts of adrenal medulla and pretransected peripheral nerve
I. Date, Y. Yoshimoto, T. Imaoka, Y. Miyoshi, T. Furuta, S. Asari and T. Ohmoto (Japan) 50

A protective action of chondroitin sulfate proteoglycans against neuronal cell death induced by glutamate
M. Okamoto, S. Mori and H. Endo (Japan) 57

Taste responses of bullfrog to pungent stimuli
K. Yoshii and T. Matui (Japan) 68

Post-activation potentiation in the neocortex: I. Acute preparations
R.J. Racine, D. Wilson, G.C. Teskey and N.W. Milgram (Canada, USA) 73

Post-activation potentiation and depression in the neocortex of the rat: II. Chronic preparations
R.J. Racine, G.C. Teskey, D. Wilson, E. Seidlitz and N.W. Milgram (Canada, USA) 83

Calcium-sensitive cytosolic phospholipase A_2 ($cPLA_2$) is expressed in human brain astrocytes
D.T. Stephenson, J.V. Manetta, D.L. White, X.G. Chiou, L. Cox, B. Gitter, P.C. May, J.D. Sharp, R.M. Kramer and J.A. Clemens (USA) 97

Progressive dysfunction of twitcher Schwann cells is evaluated better in vitro than in vivo
A. Komiyama and K. Suzuki (USA) 106

Asymmetrical orientation to edges of an openfield: modulation by striatal dopamine and relationship to motor asymmetries in the rat
R.M. Sullivan, A. Fraser and H. Szechtman (Canada) 114

Methylprednisolone and membrane properties of primary cultures of mouse spinal cord
D.K. Anderson, L.L. Dugan, E.D. Means and L.A. Horrocks (USA) 119

Involvement of angiotensin receptor subtypes in osmotically induced release of vasopressin
D.C. Hogarty, D.N. Tran and M.I. Phillips (USA) 126

Early changes in glucose metabolism in the cerebrum of senescence accelerated mouse: involvement of glucose transporter
E. Sato, A. Inoue, T. Kurokawa and S. Ishibashi (Japan) 133

Amino acids modify thalamo-cortical response transformation expressed by neurons of the ventrobasal complex
C. Vahle-Hinz, T.P. Hicks and K.-M. Gottschaldt (Germany) 139

The occurrence of three calcium-independent protein kinase C subspecies (δ, ϵ and ζ) in retina of different species
N.N. Osborne, J. Wood and N. Groome (UK) 156

Sex differences in the rapid and acute effects of estrogen on striatal D_2 dopamine receptor binding
T.J. Bazzett and J.B. Becker (USA) 163

Estrogen-progesterone and 8-OH-DPAT attenuate the lordosis-inhibiting effects of the 5-HT_{1A} agonist in the VMN
L. Uphouse, M. Caldarola-Pastuszka, S. Maswood, M. Andrade and N. Moore (USA) 173

Genetically determined cholinergic deficiency in the forebrain of C57BL/6 mice
A.R. Bentivoglio, M.C. Altavista, R. Granata and A. Albanese (Italy) 181

Characterization of the currents induced by sigma ligands in NCB20 neuroblastoma cells
Y. Morio, H. Tanimoto, T. Yakushiji and Y. Morimoto (Japan) 190

(contents continued on p. 360)

0006-8993(19940221)637:1/2;1-U

BRAIN RESEARCH

VOL. 637 NOS. 1/2 **CONTENTS** **21 FEBRUARY 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of manuscripts vii

Research Reports

The muscarinic agonist, bethanechol, enhances GABA-induced inhibition of Purkinje cells in the cerebellar cortex
P. Andre, F. Fascetti, O. Pompeiano and S.R. White (Italy, USA) 1

Expression of interleukin-6 (IL-6) and interleukin-6 receptor (IL-6R) mRNAs in rat brain during postnatal development
R.A. Gadient and U. Otten (Switzerland) 10

Comparison of intracranial infusions of colchicine and ibotenic acid as models of neurodegeneration in the basal forebrain
L.W. Shaughnessy, S. Barone Jr., W.R. Mundy, D.W. Herr and H.A. Tilson (USA) 15

Optimizing recording capabilities of the Utah Intracortical Electrode Array
C.T. Nordhausen, P.J. Rousche and R.A. Normann (USA) 27

Subpopulations of dystrophic neuritis in Alzheimer's brain with distinct immunocytochemical and argentophilic characteristics
J.H. Su, B.J. Cummings and C.W. Cotman (USA) 37

Release of angiotensin in the paraventricular nucleus in response to hyperosmotic stimulation in conscious rats: a microdialysis study
F. Qadri, O. Edling, A. Wolf, P. Gohlke, J. Culman and T. Unger (Germany) 45

Effect of host age upon the degree of nigrostriatal dopaminergic system recovery following cografts of adrenal medulla and pretransected peripheral nerve
I. Date, Y. Yoshimoto, T. Imaoka, Y. Miyoshi, T. Furuta, S. Asari and T. Ohmoto (Japan) 50

A protective action of chondroitin sulfate proteoglycans against neuronal cell death induced by glutamate
M. Okamoto, S. Mori and H. Endo (Japan) 57

Taste responses of bullfrog to pungent stimuli
K. Yoshii and T. Matui (Japan) 68

Post-activation potentiation in the neocortex: I. Acute preparations
R.J. Racine, D. Wilson, G.C. Teskey and N.W. Milgram (Canada, USA) 73

Post-activation potentiation and depression in the neocortex of the rat: II. Chronic preparations
R.J. Racine, G.C. Teskey, D. Wilson, E. Seidlitz and N.W. Milgram (Canada, USA) 83

Calcium-sensitive cytosolic phospholipase A_2 ($cPLA_2$) is expressed in human brain astrocytes
D.T. Stephenson, J.V. Manetta, D.L. White, X.G. Chiou, L. Cox, B. Gitter, P.C. May, J.D. Sharp, R.M. Kramer and J.A. Clemens (USA) 97

Progressive dysfunction of twitcher Schwann cells is evaluated better in vitro than in vivo
A. Komiyama and K. Suzuki (USA) 106

Asymmetrical orientation to edges of an openfield: modulation by striatal dopamine and relationship to motor asymmetries in the rat
R.M. Sullivan, A. Fraser and H. Szechtman (Canada) 114

Methylprednisolone and membrane properties of primary cultures of mouse spinal cord
D.K. Anderson, L.L. Dugan, E.D. Means and L.A. Horrocks (USA) 119

Involvement of angiotensin receptor subtypes in osmotically induced release of vasopressin
D.C. Hogarty, D.N. Tran and M.I. Phillips (USA) 126

Early changes in glucose metabolism in the cerebrum of senescence accelerated mouse: involvement of glucose transporter
E. Sato, A. Inoue, T. Kurokawa and S. Ishibashi (Japan) 133

Amino acids modify thalamo-cortical response transformation expressed by neurons of the ventrobasal complex
C. Vahle-Hinz, T.P. Hicks and K.-M. Gottschaldt (Germany) 139

The occurrence of three calcium-independent protein kinase C subspecies (δ, ϵ and ζ) in retina of different species
N.N. Osborne, J. Wood and N. Groome (UK) 156

Sex differences in the rapid and acute effects of estrogen on striatal D_2 dopamine receptor binding
T.J. Bazzett and J.B. Becker (USA) 163

Estrogen-progesterone and 8-OH-DPAT attenuate the lordosis-inhibiting effects of the 5-HT_{1A} agonist in the VMN
L. Uphouse, M. Caldarola-Pastuszka, S. Maswood, M. Andrade and N. Moore (USA) 173

Genetically determined cholinergic deficiency in the forebrain of C57BL/6 mice
A.R. Bentivoglio, M.C. Altavista, R. Granata and A. Albanese (Italy) 181

Characterization of the currents induced by sigma ligands in NCB20 neuroblastoma cells
Y. Morio, H. Tanimoto, T. Yakushiji and Y. Morimoto (Japan) 190

(contents continued on p. 360)

0006-8993(19940221)637:1/2;1-U

(contents continued)

Regulation of interleukin-6 (IL-6) secretion in primary cultured rat astrocytes: synergism of interleukin-1 (IL-1) and pituitary adenylate cyclase activating polypeptide (PACAP)
P.E. Gottschall, I. Tatsuno and A. Arimura (USA) 197
Involvement of calcitonin gene-related peptide (CGRP) and nitric oxide (NO) in the pial artery dilatation elicited by cortical spreading depression
M. Wahl, L. Schilling, A.A. Parsons and A. Kaumann (Germany, UK) 204
Is the nucleus raphe dorsalis a target for the peptides possessing hypnogenic properties?
B. El Kafi, R. Cespuglio, L. Leger, S. Marinesco and M. Jouvet (France) 211
The subnuclear distribution of 5-HT_3 receptors in the human nucleus of the solitary tract and other structures of the caudal medulla
D.C. Ohuoha, M.B. Knable, S.S. Wolf, J.E. Kleinman and T.M. Hyde (USA) 222
Epileptic seizure activity in the acute phase following cortical impact trauma in rat
P. Nilsson, E. Ronne-Engström, R. Flink, U. Ungerstedt, H. Carlson and L. Hillered (Sweden) 227
Comparison of changes in β-tubulin and NF gene expression in rat DRG neurons under regeneration-permissive and regeneration-prohibitive conditions
Y.Q. Jiang, J. Pickett and M.M. Oblinger (USA) 233
The effect of selective opioid antagonists on butorphanol-induced feeding
A.S. Levine, M. Grace, P.S. Portoghese and C.J. Billington (USA) 242
Alteration of brain cell membrane function following cocaine exposure in the fetal guinea pig
R. Lien, O.P. Mishra, E. Graham, M. Delivoria-Papadopoulos and E.K. Anday (USA) 249
Monoamine depletion blocks triazolam-induced phase advances of the circadian clock in hamsters
P.D. Penev, P.C. Zee and F.W. Turek (USA) 255
Dopamine uptake sites in Parkinson's disease and in dementia of the Alzheimer type
P.O. Allard, J. Rinne and J.O. Marcusson (Sweden, Finland) 262
Axotomy-induced changes in cytochrome oxidase activity in the cat trochlear nucleus
P.G. Iannuzzelli, X.H. Wang, Y. Wang and E.H. Murphy (USA) 267
Dephosphorylation of tyrosine hydroxylase by brain protein phosphatases: a predominant role for type 2A
U. Berresheim and D.M. Kuhn (USA) 273
Correlation between oxytocin neuronal sensitivity and oxytocin-binding sites in the amygdala of the rat: electrophysiological and histoautoradiographic study
M. Condés-Lara, P. Veinante, M. Rabai and M.J. Freund-Mercier (France, Mexico) 277
NMDA causes release of nitric oxide from rat spinal cord in vitro
P. Li, C. Tong, J.C. Eisenach and J.P. Figueroa (USA) 287
Antagonistic effects of the selective, competitive *N*-methyl-D-aspartate (NMDA) receptor antagonist, NPC 12626, on kappa opiate-induced analgesia in male deer mice
D.M. Saucier and M. Kavaliers (Canada) 292
N-Methyl-D-aspartate (NMDA) receptors in the spinal cord and motor cortex in motor neuron disease: a quantitative autoradiographic study using [^{3}H]MK-801
P.J. Shaw, P.G. Ince, J.N.S. Matthews, M. Johnson and J.M. Candy (UK) 297
Characterization of mineralocorticoid and glucocorticoid receptors in primate brain
S.M. Brooke, A.M. De Haas-Johnson, J.R. Kaplan and R.M. Sapolsky (USA) 303

Short Communications

Immunohistochemistry with antibodies to hepatocyte growth factor and its receptor protein (c-MET) in human brain tissues
T. Yamada, H. Tsubouchi, Y. Daikuhara, M. Prat, P.M. Comoglio, P.L. McGeer and E.G. McGeer (Japan, Italy) 308
Kainic acid neurotoxicity in the goldfish optic tectum. No protection by the NMDA receptor antagonist MK801 and partial protection by abolition of a tectal excitatory input
P. Migani (Italy) 313
The cortico-nigral projection in the rat: an anterograde tracing study with biotinylated dextran amine
A. Naito and H. Kita (USA) 317
Quantitative analysis of the distributions of glutamatergic ligand binding sites in goldfish brain
J.M. Barnes and J.M. Henley (UK) 323
ACTH (4–10) increases quantal content at the mouse neuromuscular junction
D.A. Davies and M.E. Smith (UK) 328
A novel synthetic phyllolitorin analogue [desTrp^3,Leu^8]phyllolitorin inhibits scratching behavior induced by neuromedin C in rats
A. Masui, N. Kato, T. Itoshima, K. Tsunashima, T. Nakajima and N. Yanaihara (Japan) 331
Thirst induced by increasing brain sodium concentration is mediated by brain angiotensin
J.R. Blair-West, P. Burns, D.A. Denton, T. Ferraro, M.I. McBurnie, E. Tarjan and R.S. Weisinger (Australia) 335
Stability of cell size and nucleolar size in Lewy body containing neurons of substantia nigra in Parkinson's disease
H.-J. Gertz, A. Siegers and J. Kuchinke (Germany) 339
Repeated D_1 receptor agonist treatment blocks cocaine-induced locomotor activity and c-*fos* expression
K.E. Asin, A.L. Nikkel and D. Wirtshafter (USA) 342
Postnatal changes in [^{3}H]mazindol-labelled dopamine uptake sites in the rat striatum following prenatal cocaine exposure
A. Stadlin, H.L. Choi and D. Tsang (Hong Kong) 345
Hippocampal long-term potentiation is not accompanied by presynaptic spike broadening, unlike synaptic potentiation by K^+ channel blockers
H. Lærum and J.F. Storm (Norway) 349

Author Index 357